GOVT. OF ASSAM OFFICE OF THE HOSPITAL MANAGEMENT SOCIETY: GAUHATI MEDICAL COLLEGE HOSPITAL, GUWAHATI-32.

NOTICE INVITING TENDER

Sealed tenders affixing court fee stamp of Rs. 8.25 (Rupees Eight and paisa Twenty Five) only are invited from intending supplier/reputed & authorized dealer/manufacture for supply of different type of Reagents, Kits and Consumables required for the dept. of Microbiology, GMCH under Annual Rate Contract basis.

Tenders will be received by the undersigned on 17/08/2019 up to 01:00 P.M. Date of pre bid meeting on 06/08/2019 at 01:00 PM

Terms & condition may be obtained from the office of the undersigned during office hours from 27/07/2018 on payment of Rs. 2000/- (Rupees Two Thousand) only by way of Demand Draft in favour of Member Secretary, Hospital Management Society, GMCH or may be downloaded from the website http://gmchassam.gov.in. Those who download the tender documents from the website should enclose the Demand Draft of Rs.2000/-(Rupees Two Thousand). The tender documents are non transferable.

Superintendent
Gauhati Medical College Hospital
-cumMember Secretary, HMS
Gauhati Medical College Hospital
Guwahati – 32
Dated. 26/07/2019

Memo No. MCH/HMS/2019/215/26

Copy forwarded for information to:-

- 1. The Principal Secretary to the Govt. of Assam, Health & F.W. (B) Deptt., Dispur Guwahati-6.
- 2. The Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati-22
- 3. The Principal-cum-Chief Superintendent, GMC&H and Chairman Ex. Committee, HMS, GMCH.
- 4. The Prof. & HoD, Deptt. of Microbiology, GMCH.
- 5. The Director of Information and Public Relation, Govt. of Assam, with the requested to publish the Notice Inviting tender in 2 (two) widely circulated news paper of Assam.

6/Office file.

Superintendent
Gauhati Medical College Hospital
-cumMember Secretary, HMS
Gauhati Medical College Hospital
Guwahati – 32

Terms & Condition:

1. The envelope containing the tender as well as subsequent communications should be addressed and delivered to:

The Superintendent cum Member Secretary, HMS, Gauhati Medical College Hospital, Guwahati-781032.

All communications must be addressed to the officer named above by title only and not by name.

- 2. Copy of Firm Registration certificate/Trade Licence, a copy of GST number along with latest income tax & sales tax clearance certificate should be attached with the technical bid.
- 3. Conditionals & telegraphic tenders shall not be accepted at any cost.
- 4. An undertaking in notarized court stamp paper to the effect that the company /firm /distributor are not blacklisted should be attached with the tender.
- 5. The rates should be quoted at exclusive of GST mentioning the rate of GST. All tenders/quotations will be deemed to be for F.O.R. (Free on Road) destination at Gauhati Medical College Hospital, Guwahati including packing forwarding and insurance charges and not be ex-work, ex-godown, ex-miles etc.
- 6. A person signing the tender form or any other document forming the part of the contract on behalf of another shall be deemed to warranty that he has the authority to bind such other and if on the enquiry it appears that the person so signing had no authority to do so, the purchaser may without prejudice to other civil and criminal remedies against the contract, hold the signatory liable for all costs and damages and forfeit earnest money.
- 7. The tenders must be submitted in two parts (i) Technical bid (ii) financial bid separately. All documents required as per terms and conditions should be enclosed with technical bid only. Tenders not received in specified manner will be rejected. Separate quotation for each quoted item is required to be submitted.
- 8. Bid Guarantee and Security
- (a) The tender must be accompanied with refundable earnest money of Rs. 20,000/- (Rupees Twenty Thousand) only in a lump sum amount in the form of Demand Draft/Banker's Cheque/ Fixed Deposit receipt in favour of Member Secretary, Hospital Management Society, Gauhati Medical College Hospital, Guwahati. Earnest money in other form will not be accepted. Bids not accompanied by earnest money as stated above or less than the amount stipulated above shall be summarily rejected.
- (b) Earnest money /security deposit any other sums of the Tenders lying with the Gauhati Medical College Hospital, Guwahati in connection with any other tender /case will not be considered against this tender.
- (c) The successful bidder shall be required to furnish performance Security of Rs. 30000/- by the firm in the form of fixed deposit Receipt duly hypothecated in favour of Member Secretary, HMS, GMCH. The performance security will be forfeited on the gross violations of tender norms by the successful bidders.
- (d) Performance security is compulsory and will have to be deposited by each successful bidder.
- (e) Earnest money deposited by unsuccessful bidders will be refunded after completion of tender process. EMD submitted by successful bidder will be refunded on submission of performance security.
- (f) In case the successful bidder is found in breach of any condition /tender at any stage, legal action as per rules/ laws shall be initiated against the agency concerned. In that case, EMD/ Performance Security shall be forfeited after giving proper opportunity through show cause notice
- 9. In case where full specifications are not incorporated in the inquiry or where alternative specification required for by the suppliers own specifications should be stated in full for the articles quoted for. Any illustrative literature available duly stamped and signed should also be accompanied with tender. For such conditional tender, the decision of the hospital authority in this regard (accept or reject) shall be final and binding on all.

- 10. The maximum delivery period from the date of placing the order should be specified. There after this institute will be forced to charge 5% of the cost of items per week as penalty till receipt of the materials.
- 11. All quotation /tenders should be deemed valid for at least one year from the date of opening of Price bid of the tenders. However, the same can be extended for an another period of 01(one) year or till the finalization of new tender whichever is earlier subject to the sole discretion of authority of GMCH.
- 12. Any request for increase in the approved rates will not be entertained for any reason for the contract period for any reason and the items required to be supplied by the contractor should strictly be in accordance with the sample approved.
- 13. The inspection for the goods will be carried out by the consignee at destination & rejected goods will have to be removed by you within 10 days of dispatch of advice from the undersigned failing which goods will live at your own risk (i) the rejected goods must be replaced by you within 15 days of the dispatch by consignee of registered notice intimating that goods have been rejected failing which the consignee will make risk purchase without any further reference to you (ii) If you claim that the goods supplied by you are strictly accordingly to the approved samples you may file the appeal with the Chairman where such appeal has been field the consignee with holding the goods with him till the final decision of Chairman Purchase Committee.
- 14. The bidders should enclose latest Tender Specific original authorization certificate from the original manufacturer or its Indian firm with the technical bid, failing which the tenders are liable to be rejected straightway. The bidder must be dealing in system packs for auto-analyzers.
- 15. The materials shall not be considered delivered until it is approved & received by the competent authority as defined from time to time by the purchase committee.
- 16. The rates shall not be finalized after exhibiting /demonstration of the materials, if required by the Technical Scrutiny Committee/Purchase Committee.
- 17. The Hospital authority reserves the right to reject any or all the bids or part or not to award the contract to the lowest bidder considering the samples. The decision of the hospital authority in this regard shall be final and binding on all.
- 18. If the price of the contracted articles is /are controlled by the Govt. the payment will in no case be allowed at higher rate than the quoted.
- 19. The quantity can be increased or decreased or all together abandoned as per the charged requirement of the department as well as availability of the funds.
- 20. Undersigned reserve the right to reject any or all the renders without assigning any reasons. GMCH does not pledge itself to accept the lowest or any other tender and reserve to itself the right of acceptance of the sole or any part of the tender or portion of the quantity offered and the Tenders shall be required to supply the same at rate quoted.
- 21. Payment Schedule: Payment will be made after receipt of the bill containing certificate from the concerned department that the items/ materials has been supplied by the firm is fully upto their satisfaction and according their specifications and subject to availability of fund.
- 22. TDS and other applicable taxes as per prevailing rates will be deducted at the time of making the payments.
- 23. No advance payment will be made any case.
- 24. <u>Details specification</u> of the Medicine & Surgical Items/Reagent/Laboratory Kits & consumables items etc. <u>should be provided with the price</u>. <u>All the Medicine & Surgical Items/Reagent/Laboratory Kits & consumables items etc. <u>should be ISO 13485</u>, <u>CE and CLIS us FDA certified</u>.</u>
- 25. Supply be made from the latest batch of production with the maximum lift period & original packing.
- 26. No revision is rate (On higher size) will not be accepted during contract period.
- 27. No payment will be made for unsatisfactory supply.

28. Supply should be made in full the order and shortage will be procured on the Wisk & cost of the supplier.

29. Supply order will be placed time to time according to requirement. The items are to be

supplied at the site.

30. In case a proposal is accepted the firm shall sign an agreement with the while entry is to the rate contract.

31. While submitting the tender document the tender should specifically sign on each page of

tender document.

32. The soft copy or CD of Price list may be supplied to this office.

33. Photocopy of the price list and price in spiral binding will not be accepted.

34. Authorization Certificate from the Principal is mandatory of the Rate Contract proposal is submitted by authorized stockiest/dealers.

35. The bidder should enclose the duly filled format as Annex-I & Annex-II in technical bids.

36. The bidder should quote the rate as per format as Annex-III in price bid.

37. The Hospital authority reserve to impose any other condition for regulating the contract in public interest.

38. All disputes are subject to the jurisdiction of courts in Guwahati and agreement will be governed by and be construed in accordance with the laws of India.

39. Interested firms/ Parties will have to submit unconditional acceptances to the above terms and conditions at the time of submission of the quotation on the letter head of the firm.

40. The bidders who does not fulfill any of the above conditions and incomplete tenders are liable to be summarily rejected at the risk and cost of the bidder only and any further correspondence in this regard will not be entertained.

Note: Tenders must go through these and conditions very carefully and put his signature in token of acceptance of these terms and conditions. It is also made clear that no re-presentation shall be considered after opening the financial bids except requiring any information by this office.

Superintendent
Gauhati Medical College Hospital
-cumMember Secretary, HMS
Gauhati Medical College Hospital
Guwahati-32

Annexure -I format for Technical bid

| SI. | Name of Item | Make | Pack size | Technical specification |
|-----|--------------|------|-----------|-------------------------|
| No. | | | | (If any) |
| | | | | |

Annexure- Il Document required for Technical bid

| 51. No. | Name of the firm | Document required | Submitted or not | Remarks (If any) |
|---------|------------------|---|------------------|---------------------|
| | | Valid Firm Registration/Trade Licence. Valid GST Registration Copy of ITR for last 03 years Performance certificate (previously supplied in Govt. Institution) including copies of supply order in favour of bidder. Court fees of Rs. 8.25 EMD amounting to Rs. 20000.00 Product Catalogue, latest printed Company price list and Technical specification of quoted items Valid Authorization letter from Principal Company/ Manufacturer Separate envelope for both technical and price bid. The undertaking in notarized court stamp paper to the effect that the company/ firm/ distributor are not blacklisted. | | |

Annexure- III Format for Price bid

| SI. | Name of Item | Pack size | Rate | Rate of GST | Amount | |
|-----|--------------|-----------|--------------------|-------------|-----------------|----|
| No. | | | (exclusive of GST) | (%) | (Inclusive GST) | of |
| | | | | | | |

Superintendent
Gauhati Medical College Hospital
-cum-

Member Secretary, HMS
Gauhati Medical College Hospital

Guwahati-32

Requirement of Reagents, Kits and Consumables in the Department of Microbiology, GMCH

| Sl. No. | Name of the Item | Generic Name with Technical Specification | Approximate Monthly | Remark/ Justification |
|------------|--|---|---------------------------------|--------------------------|
| | Po | cteriology and Mycology | Requirement | |
| 1. | AST Card (AST – N235) | Vitek 2 AST card | 20Tx5 | |
| 2. | AST Card (AST – N280) | Vitek 2 AST card | 20Tx5 | |
| 3. | AST Card (AST – N281) | Vitek 2 AST card | 20Tx5 | |
| 4. | AST Card (AST –P628) | Vitek 2 AST card | 20Tx5 | Reagents and Consumable |
| 5. | GN ID card | Vitek 2 AST card | 20Tx5 | |
| 6. | GP ID card | Vitek 2 AST card | 20Tx5 | for VITEK 2 |
| 7. | YST ID card | Vitek 2 AST card | 20Tx5 | Automated |
| 8. | AST card (YS08) | Vitek 2 AST card | 20Tx5 | Culture and |
| 9. | Saline Solution | | 20 packs | Sensitivity |
| 10. | Densicheck plus kit | | 1 kit | Machine |
| 11. | MacFarland Kit | | 1 kit | |
| 12. | Ria Vials (Plastic test tubes) | 12x75 mm | 1200 | _ |
| 13. | BacT/Alert PF Plus Aerobic | 121670 11111 | 500 | Consumables |
| 15. | Paediatric | | | for BacT/Aler |
| 14. | BacT/Alert FA Plus Aerobic | | 300 | Blood Culture Machine |
| 15. | BHI supplemented with 0.5% SPS | | 100 | E |
| | Blood Culture system bottle (adult) | | | For |
| 16. | BHI supplemented with 0.5% SPS | | 100 | Conventiona |
| | Blood Culture system bottle | | | Blood Cultur |
| | (Paediatric) | | | |
| 17. | Nutrient agar | 500 gm | 2 | |
| 18. | Blood agar base | 500 gm | 5 | |
| 19. | MacConkey agar | 500 gm | 5 | |
| 20. | CLED agar | 500 gm | 7 | |
| 21. | Muellar Hinton agar | 500 gm | 3 | |
| 22. | SDA agar | 500 gm | 1 | |
| 23. | SDA agar with Chloramphenicol | 500 gm | 5 | Descripto Co. |
| 24. | SDA agar with Chloramphenicol | 500 gm | 2 | Reagents for Media |
| | and Cycloheximide | | | Preparation |
| 25. | TCBS agar | 500 gm | 1 | Freparation |
| 26. | DCA agar | 500 gm | 1 | |
| 27. | XLD agar | 500 gm | 1 | 3 |
| 28. | Bile salt agar | 500 gm | 1 | |
| 29. | Muellar Hinton with Glucose and methylene blue | 500 gm | 3 | |
| 30. | Cornmeal agar | 500 gm | 1 | |
| 31. | Hichrome Candida differential agar | 500 gm | 1 | |
| 32. | Selenite F | 500 gm | 1 | |
| J2. | Name of the item | Generic Name with Technical specification | Approximate monthly requirement | Remark/ Justification |
| 33. | Tetrathionate | 500 gm | 1 | Reagents for |
| 34. | Peptone, Bacteriological grade | 500 gm | 5 | Media |
| 35. | Beef extract | 500 gm | 1 | Preparation |

| Sl. No. | Name of the Item | Generic Name with Technical Specification | Approximate Monthly Requirement | Remark/ Justification |
|------------|---|--|---------------------------------------|-----------------------------|
| | Ra | cteriology and Mycology | Requirement | |
| 1. | AST Card (AST – N235) | Vitek 2 AST card | 20Tx5 | |
| 2. | AST Card (AST – N280) | Vitek 2 AST card | 20Tx5 | |
| 3. | AST Card (AST – N281) | Vitek 2 AST card | 20Tx5 | |
| 4. | AST Card (AST –P628) | Vitek 2 AST card | 20Tx5 | Reagents and |
| 5. | GN ID card | Vitek 2 AST card | 20Tx5 | Consumable for VITEK 2 |
| 6. | GP ID card | Vitek 2 AST card | 20Tx5 | |
| 7. | YST ID card | Vitek 2 AST card | 20Tx5 | Automated Culture and |
| 8. | AST card (YS08) | Vitek 2 AST card | 20Tx5 | Sensitivity |
| 9. | Saline Solution | | 20 packs | Machine |
| 10. | Densicheck plus kit | | 1 kit | Macmile |
| 11. | MacFarland Kit | | 1 kit | |
| 12. | Ria Vials (Plastic test tubes) | 12x75 mm | 1200 | |
| 13. | BacT/Alert PF Plus Aerobic Paediatric | | 500 | Consumables for BacT/Aler |
| 14. | BacT/Alert FA Plus Aerobic | | 300 | Blood Culture Machine |
| 15. | BHI supplemented with 0.5% SPS Blood Culture system bottle (adult) | | 100 | For |
| 16. | BHI supplemented with 0.5% SPS Blood Culture system bottle (Paediatric) | | 100 | Conventiona Blood Cultur |
| 17. | Nutrient agar | 500 gm | 2 | |
| 18. | Blood agar base | 500 gm | 5 | |
| 19. | MacConkey agar | 500 gm | 5 | |
| 20. | CLED agar | 500 gm | 7 | |
| 21. | Muellar Hinton agar | 500 gm | 3 | |
| 22. | SDA agar | 500 gm | 1 | |
| 23. | SDA agar with Chloramphenicol | 500 gm | 5 | Reagents for |
| 24. | SDA agar with Chloramphenicol and Cycloheximide | 500 gm | 2 | Media Preparation |
| 25. | TCBS agar | 500 gm | 1 | rieparation |
| 26. | DCA agar | 500 gm | 1 | |
| 27. | XLD agar | 500 gm | 1 | 3 |
| 28. | Bile salt agar | 500 gm | 1 | |
| 29. | Muellar Hinton with Glucose and methylene blue | 500 gm | 3 | |
| 30. | Cornmeal agar | 500 gm | 1 | |
| 31. | Hichrome Candida differential agar | 500 gm | 1 | |
| 32. | Selenite F | 500 gm | 1 | |
| | Name of the item | Generic Name with Technical specification | Approximate monthly requirement | Remark/ Justification |
| 33. | Tetrathionate | 500 gm | 1 | Reagents for |
| 34. | Peptone, Bacteriological grade | 500 gm | 5 | Media |
| 35. | Beef extract | 500 gm | 1 | Preparation |

| 36. | 1 DI ugui | 500 gm | 3 | |
|-----|--|---|-------------|--------------------------|
| 7. | Simmon's citrate agar | 500 gm | 3 | |
| 8. | Christensen's urease agar | 500 gm | 3 | |
| 39. | Urea 40% | 1vl | 20 nos | 4 |
| 10. | Glucose powder | 500 gm | 1 | 4 |
| 41. | Lactose powder | 500 gm | 1 | |
| 42. | Sucrose powder | 500 gm | 1 | |
| 43. | Mannitol powder | 500 gm | 1 | |
| 44. | D- Xylose | 500 gm | 1 | |
| 45. | D - Arabinose | 500 gm | 1 | |
| 46. | Raffinose | 500 gm | 1 | |
| 47. | Sorbitol | 500 gm | 1 | |
| 48. | Malt extract agar | 500 gm | 1 | |
| 49. | Plate count agar | 500 gm | 1 | |
| 50. | L-Lysine | 500 gm | 1 | |
| 51. | L-Cysine L-Ornithine | 500 gm | 1 | |
| 52. | L-Arginine | 500 gm | 1 | |
| | GPP | 500 gm | 1 | |
| 53. | | 100 ml | 5 | |
| 54. | Koyac's indole reagent | 130 | 1 | |
| 55. | Methyl red powder | | 1 | |
| 56. | α napthol | | 1 | - |
| 57. | di-potassium hydrogen phosphate | 500ml | 3 | |
| 58. | NNNN-tetramethyl paraphenylene Diamine dihydrochlorite | Joonn | | |
| 59. | Potassium hydroxide | | 1 | - |
| 60. | Sodium hydroxide | | 1 | |
| 61. | BHI broth | | 1 | |
| 62. | Sodium deoxycholate | | 1 | |
| 63. | MacConkey broth double strength | 500 gm | 1 | |
| 64. | MacConkey broth single strength | 500 gm | 1 | |
| 65. | Glycerol | 500 ml | 3 | -25 |
| 66. | Sodium chloride crystals | | 1 | 72 11 |
| | Name of the item | Generic Name with Technical specification | requirement | Remark/ Justification |
| 67. | Phenolphthaline phosphate agar | 500 gm | 1 | |
| 68. | | 500 gm , | 1 | |
| 69. | | 500 gm | 1 | 0 * |
| 70. | - 11 | 500 gm | 1 | |
| 71. | | 500 gm | 1 | |
| 72. | | 500 gm | 1 | |
| 12. | base selective supplement | | | Reagents for |
| 73. | | 500 ml | 1 | Media |
| 74. | | 500 ml | 1 | Preparation |
| | The state of the s | 500 ml | 1 | |
| 75. | | 500 ml | 1 | |
| 76. | | 500 gm | 1 | |
| 77 | | 500 gm | 1 | |
| 78 | | 500 ml | 3 | |
| 79 | . Absolute alcohol | JUU IIII | 2 | |

| 81. | Yeast nitrogen base | 500 gm | 1 | |
|------|------------------------------------|---|---------------------------------|-----------------------|
| 82. | Vitamin growth supplement | | 1 | |
| 83. | Trehalose dihydrate | 500 gm | 1 | |
| 84. | Maltose monohydrate | 500gm | 1 | |
| 85. | DMSO | 500 gm | 1 | |
| 86. | Bile esculin agar | 500 gm | 2 | |
| 87. | PYR agar | 500 gm | 1 | |
| 88. | Decarboxylase broth base | 500 gm | 1 | |
| 89. | Loeflers medium base | 500gm | 1 | |
| 90. | Cary Blair medium base | 500 gm | 1 | |
| 91. | Ferric chloride anhydrous | 500 gm | 1 | |
| 92. | Yeast Malt agar | 500gm | 1 | |
| 93. | Yeast Malt broth | 500 gm | 1 | |
| 94. | Acetate agar | 500 gm | 1 | |
| | Name of the item | Generic Name with Technical specification | Approximate monthly requirement | Remark/ Justification |
| 95. | Yeast carbon base | 500gm | 1 | Reagents for |
| 96. | Stuarts urea broth | 500 gm | 1 | Media |
| 97. | Czapek Dox agar | 500 gm | 1 | Preparation |
| 98. | BHI agar | 500gm | 1 | |
| 99. | Tellurite blood agar | 500 gm | 1 | |
| 100. | Agar powder, Bacteriological grade | 500gm | 3 | |
| 101. | Meat extract B, powder | 500 gm | 2 | |
| 102. | Dulcitol powder | 500 gm | 1 | |
| 103. | Haemoglobin powder | 500gm | 1 | |
| 104. | Potassium tellurite 1% | 500 gm | 1 | |
| 105. | Inositol | 500 gm | 1 | |
| 106. | Mannose | 500gm | 1 | |
| 107. | Pyruvic acid sodium salt | 500 gm | 1 | |
| 108. | Bowie & dick test pack | 500 gm | 1 | |
| 109. | | 500gm | 3 | |
| 110. | Dermatophyte supplement | 500 gm | 1 | |
| 111. | | 1 vl | 1 | |
| 112. | | 1 vl | 1 | |
| 113. | | 1vl | 1 | |
| 114. | | 1vl | 1 | |
| 115. | | 1 vl | 1 | * |
| 116. | | 1 vl | 1 | |
| 117. | | 1vl | 1 | |
| 118. | | 1vl | 1 | |
| 119. | | 1 vl | 1 | |
| 120. | | 1 vl | 1 | |
| 121. | | 1vl | 1 | |
| 122. | | 1vl | 1 | |
| 123. | | 500 gm | 1 | |
| 124. | | 500 ml | 1 | |
| 125. | | 500 ml | 1 | |
| 126. | | 500 gm | 1 | |
| 127 | 4 | 100 ml | 1 | |

| 128. | Bromothymol blue indicator | | 1 | |
|----------------------|--|---------------------|---------------------------------|----------------|
| 129. | Andrade's indicator | | 1 | |
| 130. | 10% lactic acid solution | | 1 | |
| 131. | Potassium nitrate solution | | 1 | |
| 132. | Magnesium sulphate anhydrous | 500 gm | 1 | |
| 133. | Tween 80 | 100 ml | 1 | |
| 134. | Tween 60 | 100 ml | 1 | |
| 135. | Tween 40 | 100 ml | 1 | |
| 136. | Tween 20 | 100 ml | 1 | |
| 137. | Potassium dihydrogen phosphate | 500 gm | 1 | |
| 138. | Thiamine hydrochloride | 500 gm | 1 | |
| 139. | Methyl violet/Crystal violet/ | 500 ml | 15 | |
| 137. | Gentian violet | | | |
| 140. | Gram's iodine | 500 ml | 15 | |
| 141. | Safranine | 500 ml | 15 | |
| 142. | Carbol fuchsin | 500 ml | 5 | |
| 143. | 20% Sulphuric acid | 500 ml | 2 | |
| 144. | Methylene blue | 500 ml | 5 | Staining |
| 145. | Albert stain I | 500 ml | 1 | Reagents |
| 146. | Albert stain II | 500 ml | 1 | |
| 147. | LPCB · | 250 ml | 1 | |
| 148. | India ink | 23 ml | 1 | |
| 149. | PAS | 500 ml | 1 | |
| 150. | Schiff reagent | 500 ml | 1 | |
| 151. | GMS | 500 ml | 1 | - |
| 152. | Spore strips | 1 pkt | 1 packet | |
| 152. | Hydrogen peroxide solution 30% | 1 pkt | 4 | |
| 154. | Sterile disk | 1vl | 1 pkt | |
| | | 1 1 1 1 | 1 | |
| 155. | Homogeniser with serrated pastel 20 ml | | 1 | |
| 156. | Test tube stand | | 10 in One Year | |
| 157. | Sterile disposable Petridish 90mm | 600x1 pkt | 7 pkt | |
| 158. | Sterile disposable Petridish 100mm | 600x1 pkt | 3 pkt | |
| 159. | Sterile swab for AST | 500x1 pkt | 1 pkt | |
| 160. | Cedarwood oil | 100 ml | 6 | |
| 161. | Mask ~ | | 5 pkt | |
| 162. | Cover slip | 100x1 | 5 pkt | Other Reagents |
| 163. | Assorted Nichrome loops | | 5 | and |
| 164. | Metal loop holder | | 5 | Consumables |
| 165. | Glass tubes | 5 ml | 200 tubes | |
| | | 10 ml | 100 tubes | |
| | | 20 ml | 50 tubes | |
| | | 100 ml | 5 tubes | |
| 166. | Glass beakers | 250ml, 500ml,1000ml | 1 each | |
| 167. | Glass conical flask | 250ml, 500ml,1000ml | 1 each | |
| 168. | Durham's tube | 1 pkt | 1 pkt | |
| 169. | Nitrile gloves | | 60 nos. | |
| | Marker pen | | 10 nos. | |
| 170. | | | 01 | |
| 170. 171. 172. | Syringe Glass measuring cylinders | | 2 cartons 10 nos. of varying | |

| 173. | Pasteur pipette | | 2 -1-+ | |
|-------------------|--|---|---------------------------------|--------------------------|
| 174. | pH paper | | 2 pkt | |
| 175. | Patelia Aspergillus ELISA for Galactomannan Antigen | | | ELISA Kits |
| 176. | Aspergillus IgG ELISA kit | | 1 | |
| 177. | Cryptococcal antigen test kit (lateral flow assay) | 20x1 pkt | 2 pkt | Rapid Kit |
| 178. | Amikacin 30 | 5vl | 1pkt | |
| 179. | Amoxicillin Clavulanic acid 20/10 | 5vl | 1pkt | |
| 180. | Ampcillin 10 | 5v | 1pkt | |
| 181. | Azithromycin 15 | 5vl | 1pkt | |
| 182. | Aztreonam 30 | 5vl | 1pkt | |
| 183. | Bacitracin | 1vl | 1pkt | |
| 184. | Cefepime 30 | 5vl | 1pkt | |
| 185. | Cefoperazone 75 | 5vl | 1pkt | |
| 186. | Cefoperazone Sulbactam 75/10 | 5vl | 1pkt | |
| 187. | Cefotaxime 30 | -5v | 1pkt | |
| 188. | Cefotaxime Clavulanic acid 30/10 | 5vl | 1pkt | |
| 189. | Cefoxitin 30 | 5vl | 1pkt | |
| 190. | Cefpodoxime 10 | 5vl | 1pkt | Antibiotic Discs |
| 191. | Ceftazidime 30 | 5vl | 1pkt | Aminototic Dises |
| 191. | Ceftazidime Clavulanic acid 30/10 | 5vl | 1pkt | The second second |
| 192. | Ceftriaxone 30 | 5vl | 1pkt | |
| 193. | Cefuroxime 30 | 5v | 1pkt | |
| | Chloramphenicol 30 | 5vl | 1pkt | |
| 195. | | 5vl | 1pkt | |
| 196. | Ciprofloxacin 5 | 5vl | 1pkt | |
| 197. | Clindamycin 2 Colistin 10 | 5vl | 1pkt | |
| 198. | | 5vl | 1pkt | |
| 199. | Doxycycline 30 Ertapenem 10 | 5v | 1pkt | |
| 200. | k | 5vl | 1pkt | |
| 201. | | 5vl | 1pkt | |
| 202. | | 5vl | 1pkt | |
| 203. | mgn rever dem | 5vl | 1pkt | |
| 204. | Imipenem 10 Name of the item | Generic Name with Technical specification | Approximate monthly requirement | Remark/ Justification |
| 205. | Levofloxacin 5 | 5vl | 1pkt | Antibiotic Disc |
| 206. | | 5v | 1pkt | |
| 207 | | 5vl | 1pkt | |
| 208 | | 5vl | 1pkt | |
| 209 | | 5vl | 1pkt | |
| 210 | 111111111111111111111111111111111111111 | 5vl | 1pkt | |
| 211 | | 5vl | 1pkt | |
| 211 | 1 Oncome | 1vl | 1pkt | |
| 212 | | 5vl | 1pkt | |
| | 10000 | 5vl | 1pkt | |
| 7114 | . I thorizontali Telesco- | 5vl | 1pkt | |
| 214 | Dolumevin D 200 II | 1 3 7 1 | | _ |
| 214 215 216 | | 5vl | 1pkt | |

| 218. | Tetracycline 30 | 5vl | 1pkt | |
|------|--|----------------------|-----------------|-----------------------|
| 219. | Tigecycline 15 | 5v | 1pkt | |
| 220. | Trimethroprim/Sulfmethoxazole 1.25/23.75 | 5vl | 1pkt | |
| 221. | Vancomycin 30 | 5vl | 1pkt | |
| 222. | Fluconazole 25µ | 5vl | 1pkt | |
| 223. | Voriconazole 1 μ | 5vl | 1pkt | |
| | Ketoconazole 20 μ | 5vl | 1pkt | |
| 224. | | | 1pkt | Antifungal |
| 225. | Itraconazole 10 μ | 5v | - | Discs |
| 226. | Amphotericin B 20 μ | 5vl | 1pkt | Discs |
| 227. | Flucytosine | 5vl | 1pkt | |
| 228. | Caspofungin | 5vl | 1pkt | |
| 229. | Micafungin | 5vl | 1pkt | |
| 230. | Gaspak | | 1pkt | For Anaerobic Culture |
| | | Serology | | |
| 231. | HBsAg Reagent | 100 T/Box | 28 boxes | |
| 232. | Anti HCV Reagent | 100 T/Box | 30 boxes | |
| 233. | HBsAg Control | 3 sets/pack | 4 boxes | |
| 234. | Anti HCV Control | 3 sets/pack | 4 boxes | Reagents and |
| 235. | HBsAg Calibrator | 1 level/1set liquid | 1 box | Consumables |
| 236. | Anti HCV Calibrator | 1 level/1 set liquid | 1 box | For VITROS |
| 237. | Versatips | 1000 tips/box | 15 boxes | 3600 Machine |
| 238. | Signal Reagent | 2X200 tests | 15 boxes | Jood Machine |
| 239. | Universal Wash Reagent | 2x5 litres | 10 boxes | |
| 240. | Micro Sample Wells | 4000 cup/box | 5 boxes | |
| 241. | Maintenance pack | 2 pack | 2 boxes | |
| 242. | Pf / Pv Kit | 25T/ Box | 15 boxes | |
| 243. | Typhi - Dot Kit | 25T/ Box | 20 boxes | |
| 244. | RPR / VDRL Kit | 50T/ Box | 15 boxes | |
| 245. | RA Factor Kit | 20T/ Box | 20 boxes | |
| 246. | ASO Kit | 20T/ Box | 15 boxes | |
| 247. | PPD (Mantoux Test) | 5ml/ Vial | 5 vials | Rapid Kit Test |
| 248. | Widal Kit | 20T/ Box | 15 boxes | Reagents and |
| 249. | HbsAg Kit (Hepa Card) | 100T/ Box | 25 boxes | Consumables |
| 250. | Anti HCV Kit | 50T/ Box | 40 boxes | Consumations |
| 251. | Anti – Human Globulin (Eryclone) | 5ml /Vial | 10 vials | |
| 252. | Bovine Serum Albumin | 10 ml/Vial | 10 vials | |
| 253. | Leptospira IgG/IgM (SD Bioline) | 30 T/Box | 1 box | |
| 254. | | | 1 Box/ 6 months | |
| 255. | | 7 | | , |
| 256. | 10.00 | 30 Tests/Box | 1 box/2 months | |
| 257. | | 30 Tests/Box | 1 box/2 months | |
| 258. | | 60 Tests/Box | 1 box/2 months | |
| 259. | | 60 Tests/Box | 1 box/2 months | |
| 260. | | 60 Tests/Box | 1 box/2 months | Mini VIDAS |
| 261. | | 60 Tests/Box | 1 box/2 months | Reagents and |
| 262. | | 30 Tests/Box | 1 box/2 months | Consumables |
| 263. | | 60 Tests/Box | 1 box/2 months | Consumatics |
| 264. | | 60 Tests/Box | 1 box/2 months | |
| 265. | | 60 Tests/Box | 1 box/2 months | |
| 266. | | 30 Tests/Box | 1 box/2 months | |
| 267 | | 60 Tests/Box | 1 box/2 months | |
| 268 | | 500 ml | 1 bottle | Other |
| 269 | | 1 roll | 2 rolls | Consumables |

| 270. | | 500 ml | 20 bottles | |
|-------|--|-----------------------------|---------------------|----------------------|
| 271. | | 500 ml | 3 bottles | |
| 272. | | 1000pc/carton | 6 cartons | |
| 273. | Tuberculin syringe | 1000pc/carton | 1 carton / 6 months | |
| | | Parasitology | | |
| 274. | Lugol's Iodine | 500 ml | 1 bottle/2months | Staining |
| 275. | | 500 ml | 1 bottle/3months | Reagents |
| 276. | | 500 ml | 1 bottle/3months | Trougents |
| 277. | The state of the s | 500 ml | 1 bottle/2months | |
| 278. | 50% Ethanol | 5 0 0 m | 1 bottle/3months | |
| 279. | | 500 gm | 1 bottle/2months | |
| 280. | | 500 gm | 1 bottle/3months | |
| 281. | Formaldehyde | 300 III | 2bottles | - |
| 282. | | 500 ml | 1 bottle/3months | |
| 283. | | 5 ml bottle | 1 bottle | Other |
| 203. | Cedai wood oii | 5 m bottle | 1 boule | Other Consumables |
| 284. | Staining rack | 1 | 3 | |
| 285. | | 1 | 3 | One Time |
| 286. | | 1 | 2 | Requirement fo |
| 287. | | 1 | 4 | One Year |
| 288. | 1 | 20 pc / box | 10 boxes | Other |
| 289. | | 1 | 10 tubes | Consumables |
| 290. | | Small roll | 5 roll | |
| 291. | | 1 pack | 2 pack | |
| 292. | | 200ml | 4 | - |
| Virol | | 200111 | | |
| 293. | Qiagen One Step RT-PCR Kit | 100 rxn, | 4 | PCR & ELISA |
| 294. | QIAmp Viral RNA Mini Kit, | 250 rxn, | 1 | kits |
| 295. | Hepatitis AVirus(HAV IgM Mu | Immunoshop Wantai | 2 | Kits |
| 495. | Capture), | minuloshop wantar | 2 | |
| 296. | Hepatitis E Virus IgM ELISA 3.0, MP | MP Diagnostic | 2 | |
| 290. | Diagnostic | MP Diagnostic | 2 | |
| 297. | | In Bios | 2 | - |
| | West Nile Virus IgM ELISA, | | | |
| 298. | Mumps Virus IgM ELISA | Novatec | 2 | |
| 299. | QIAmp Viral DNA Mini Kit | 250 rxn, Qiagen | 1 | |
| 300. | QIAmp Mini Elute Gel Extraction Kit, | 50 rxn, Qiagen | 2 | |
| 301. | FTD-75-64 HSV Virus 1&2, | Make: Fast Track | 3 | |
| 302. | FTD Viral Meningitis, FTD-13-32 | Diagnostic Make: Fast Track | 2 | Consumables |
| 302. | FID VIIai Mennigius, FID-13-32 | Diagnostic Code: | 2 | Consumables |
| | | FTD-13-32 | | |
| 303. | FTD Viral Gastroenteritis, | Make: Fast Track | 1 | |
| | TID THE GEOMETRIES, | Diagnostic Code: | 1 | |
| | | FTD-3-32 | | |
| 304. | PCR Master Mix 2X, | Make: Thermo | 1 | 1 |
| 305. | TAE Buffer-50X | Make: Thermo | 1 | |
| 306. | Nuclease Free Water-1ml tube, | Make: Thermo | 2 | |
| 307. | Rectified Spirit, | Make: Helix India | 2pk/month | |
| 308. | Sodium Hypochlorite, | Make: Human | 3pk/month | 1 |
| | | Diagnostic | | |
| 309. | RNase Inhibitor-2500U, | Make: Thermo | 3/month | |
| 310. | DNA Taq Polymerase Enzyme-High Fidelity 500-2500U, | make: Invitrogen | 1 | |
| | Agarose Gel-100gm, | Make: Invitrogen | 1 | 1 |

| 312. | dNTPs mix with MgCl ₂ | Make: Thermo | 1 | 1 |
|--------------|--|--|---------------------|-------------|
| 313. | Primers and Probes, | Make:Invitrogen | 1 | - |
| 314. | AgPath-ID One-Step qRT-PCR Reagents, | Make: Thermofischer | 1 | 1 |
| 315. | MicroAmp EnduralPlate Optical 384- well Blue Reaction Plates with Barcode, | Make: Invitrogen | 1 | |
| 316. | FTD Flu, | 32 rxn, Make: fast Track Diagnostic | 1 | |
| 317. | MicroAmp Optical 8-Tube strip with attached optical caps, 0.2ml for ABI 7500 | Make:Invitrogen | 1pk | |
| 318. | Micro Centrifuge Tube (1.5 & 2 ml) | Make:Genaxy | 2pk/month | |
| 319. | 0.2 ml Flat cap PCR tubes | Make: Thermo | 1 Pk/Month | |
| 320. | Centrifuge Tube 15ml | Make:Genaxy | 1pk/month | 7 |
| 321. | N95 mask, | Make: Abdos | 2pk/month | |
| 322. | Disposable Lab coats | Coloured(White/Blue) full sleeve | 2pk/month | |
| 323. | Sample storage cryo box- | 0.2ml,1.5ml,2ml,5ml and 15ml-96 wells and 50 wells | 2pk/month | |
| 324. | Nitrile gloves, powder free, | Size: small, Medium and Large | 2pk/month each size | |
| 325. | Sample carrier Tray, | 3 | | |
| 326. | 4 degree Cooler | | | |
| 327. | 0.1-10μL micropipette filtered/aerosol resistant tips | Sterile tips in box | 3pk/month | |
| 328. | 10-100µL micropipette filtered/aerosol resistant tips | Sterile tips in box | 3pk/month | Consumables |
| 329. | 20-200µL micropipette filtered/aerosol resistant tips | Sterile tips in box | 3pk/month | |
| 330. | 100-1000μL micropipette filtered/aerosol resistant tips | Sterile tips in box | 5pk/month | |
| 331. | 2-20µL micropipette filtered/aerosol resistant tips | Sterile tips in box | 3pk/month | |
| 332. | 0.1-10μL micropipette tips | Sterile tips in box | 2pk/month | |
| 333. | 0.5-10µL Natural tips, white, | Sterile tips in box | 2pk/month | |
| 334. | 1-200µL Natural tips, white, | Sterile tips in box | 4pk/month | TT . |
| 335. | 100-1000μL Natural tips, white, | Sterile tips in box | 4pk/month | |
| 336. | Cobas Taqman HBV Test-48 | Cobas Taqman HBV Test-48 with extraction kit (Roche) | 3 | |
| 337. | Cobas Taqman HCV Test-48 (Roche) | Cobas Taqman HCV Test-48 with extraction kit (Roche) | 1 | |
| 338. | K-Tube | (96x12) (Roche) | 1 | |
| 339. | LightMix Modular Influenza A H1(H1N1), (Roche) | (Roche) | 1 | |
| 340. | Light Cycler Multiplex RNA Virus Master (Roche) | (Roche) | 1 | |
| 341. | High Pure Viral RNA Kit (Roche) | (Roche) | 1 | |
| 342. | Light Cycler 480 Multiwell plates 96, White (Opaque plates), (Roche) | (Roche) | 1 | |
| 343. | | NovaLisa | 1 | |
| 343. | varicella Zoster virus Igivi | INUVALISA | | |
| | Varicella Zoster Virus IgM Measles IgM ELISA kit | | | |
| 344. 345. | Measles IgM ELISA kit Rubella IgM ELISA kit | (Euroimmune) (Euroimmune) | 1 | |

| 347. | HiDi Formamide (25ml) | Invitrogen | 1 | |
|------|--|---|---------------|-------------|
| 348. | BDT3.1 cycle Sequencing kit | (100 reactions) make: Invitrogen | 1 | |
| 349. | Cathode Buffer | (pack of 4) make: Invitrogen | 1 | |
| 350. | Anode Buffer | (pack of 4) make: Invitrogen | 1 | |
| 351. | POP7 | (384 samples) make: Invitrogen | 1 | |
| 352. | Conditioning reagents | (1unit) make: Invitrogen | 1 | |
| 353. | BigDye X Terminator Purification Kit | (100rxn) make: Invitrogen | 1 | |
| 354. | 6x DNA Loading Dye, | 5x 1ml Make: Thermo | 1 | |
| 355. | Gene Ruler | 50bp DNA Ladder 50µg Thermo | 1 | |
| 356. | Gene Ruler | 100bp DNA Ladder 50μg Make: Thermo | 1 | Consumables |
| 357. | Disposable Mask | - | 1pk | |
| 358. | Ethidium Bromide, | Make: Promega | 1 | |
| 359. | RevertAid First Strand cDNA Synthesis Kit, | 100rxn Make: Thermo | 1 | |
| 360. | 7500 Spectral Red Dye Cal Kit, | Dye calibration kit, Make:Invitrogen | 1 | 16 |
| 361. | FG-7500 Spectral Dye Cal Kit, | Make: Invitrogen | 1 | |
| 362. | LabSafe Dye | Make; Bioscience | 1 | |
| 363. | FG-Optical adhesive covers | make:Invitrogen | 1 | |
| 364. | Defined Fetal Bovine Serum, US origin, | 100ml Make: Invitrogen | 1 | |
| 365. | Easy Flask T25CM ² Flit | Make: Nalgene | 1 | |
| 366. | Nalgene Syringe Filter, | 0.2 micron PES, 25 mm diameter | 1pk | |
| 367. | Nalgene Syringe Filter, | 0.45 micron PES, 25mm diameter | 1pk | |
| 368. | Beakers, | Polypropylene, autoclaeavable, Graduated-1000ml | 1pk | |
| 369. | Micro Tube and Tube Racks, | 0.2ml, 1.5ml, 2ml, 5ml and 15ml, 96 wells | 1pk each size | |
| 370. | Antibiotic Antimycotic Solution | (Pen/Strep/Fungizone), 100ml | 1 | |
| 371. | Trypsin | , 0.25%(1X), 100ml, make:Cyclone | 1 | , · · |
| 372. | MEM media with 2.0 mM L-Glutamine, | 1000ml, Make: Hyclone | 1 | |
| 373. | Phosphate Buffered saline (PBS) | 1X, pH-7.4, Make: Life technologies | 1 | |
| 374. | Tris EDTA, | 2ml, pH-7.0 make: Thermo | 1pk | |
| 375. | Viral Transport Media (VTM) | Make: HiMedia | 1pk | |
| 376. | | 8"x12" and 12"x24" make: Himedia | 1pk each size | |
| 377. | Cryo Gloves | | | |
| 378. | | 100 rxn, ,Make: Invitrogen | 1 | |
| 379. | | Make: Fastrack | 1 | |

| | PCR) | Diagnostics | | |
|------|---|------------------------|----|--------------|
| 380. | Parvo B19 | Novatec | 1 | 1 |
| 381. | Epstein Barr Virus | Novalisa | 1 | |
| 382. | FTD Respiratory pathogens 33 Cat.No-FTD-2P.3-64 | Fast Track Diagnostics | 2 | |
| 383. | FTD C. difficile Cat. No: FTD-24-32 | Fast Track Diagnostics | | PCR Kits |
| 384. | FTD Neonatal Sepsis Cat. No: FTD-32-64 | Fast Track Diagnostics | 1 | |
| 385. | FTD- Bacterial meningitis Cat. No: FTD-28-32 | Fast Track Diagnostics | 1 | |
| 386. | FTD- Neonatal meningitis | Fast Track Diagnostics | 1 | |
| 387. | Quaternary Ammonium Compound Bactericidal (including MDR Pathogens), Mycobactericidal, Virucidal, Fungicidal. Used for all hospital needs(Both critical and non critical areas) Biodegradable Corrosion free EN approved for virus, fungus, bacterial and yeast. | | 10 | Disinfectant |
| 388. | Alcohol Disinfectant Spray Bactericidal (including MRSA) fungi and Viruses Ideal for crital areas like OTs etc. | | 10 | |

Requirement of Reagents, Kits and Consumables in the Department of Microbiology, GMCH

| SI. No. | Name of the Item | Generic Name with Technical Specification | Remark/ Justification | |
|------------|---|---|----------------------------------|--|
| | Bacteriology and | Mycology | | |
| 1. | AST Card (AST – N235) | Vitek 2 AST card | | |
| 2. | AST Card (AST - N280) | Vitek 2 AST card | | |
| 3. | AST Card (AST – N281) | Vitek 2 AST card | | |
| 4. | AST Card (AST -P628) | Vitek 2 AST card | Reagents and | |
| 5. | GN ID card | Vitek 2 AST card | Consumables for | |
| 6. | GP ID card ~ | Vitek 2 AST card | VITEK 2 | |
| 7. | YST ID card | Vitek 2 AST card | Automated Culture | |
| 8. | AST card (YS08) | Vitek 2 AST card | and Sensitivity | |
| 9. | Saline Solution | | Machine | |
| 10. | Densicheck plus kit | | | |
| 11. | MacFarland Kit | | | |
| 12. | Ria Vials (Plastic test tubes) | 12x75 mm | | |
| 13. | BacT/Alert PF Plus Aerobic Paediatric | | Consumables for BacT/Alert Blood | |
| 14. | BacT/Alert FA Plus Aerobic | | Culture Machine | |
| 15. | BHI supplemented with 0.5% SPS Blood Culture system bottle (adult) | | For Conventional | |
| 16. | BHI supplemented with 0.5% SPS Blood Culture system bottle (Paediatric) | | For Conventional Blood Culture | |
| 17. | Nutrient agar | 500 gm | Reagents for Media | |

| 18. | Blood agar base | 500 gm | Preparation |
|-----|--|---|--------------------------------|
| 19. | MacConkey agar | 500 gm | |
| 20. | CLED agar | 500 gm | |
| 21. | Muellar Hinton agar | 500 gm | |
| 22. | SDA agar | 500 gm | |
| 23. | SDA agar with Chloramphenicol | 500 gm | |
| 24. | SDA agar with Chloramphenicol and Cycloheximide | 500 gm | |
| 25. | TCBS agar | 500 gm | |
| 26. | DCA agar | 500 gm | |
| 27. | XLD agar | 500 gm | |
| 28. | Bile salt agar | 500 gm | |
| 29. | Muellar Hinton with Glucose and methylene blue | 500 gm | |
| 30. | Cornmeal agar | 500 gm | |
| 31. | Hichrome Candida differential agar | 500 gm | |
| 32. | Selenite F | -500 gm | |
| nii | Name of the item | Generic Name with Technical specification | Remark/ Justification |
| 33. | Tetrathionate | 500 gm | |
| 34. | Peptone, Bacteriological grade | 500 gm | |
| 35. | Beef/extract | 500 gm | |
| 36. | TSI agar | 500 gm | |
| 37. | Simmon's citrate agar | 500 gm | |
| 38. | Christensen's urease agar | 500 gm | |
| 39. | Urea 40% | 1vl | |
| 40. | Glucose powder | 500 gm | |
| 41. | Lactose powder | 500 gm | |
| 42. | Sucrose powder | 500 gm | |
| 43. | Mannitol powder | 500 gm | |
| 44. | D- Xylose | 500 gm | |
| 45. | D - Arabinose | 500 gm | |
| 46. | Raffinose | 500 gm | |
| 47. | Sorbitol | 500 gm | Descents for Medie |
| 48. | Malt extract agar | 500 gm | Reagents for Media Preparation |
| 49. | Plate count agar | 500 gm | Freparation |
| 50. | L-Lysine | 500 gm | |
| 51. | L-Ornithine | 500 gm | |
| 52. | L-Arginine | 500 gm | |
| 53. | GPP | 500 gm | |
| 54. | Kovac's indole reagent | 100 ml | |
| 55. | Methyl red powder | I was | |
| 56. | α napthol | | |
| 57. | di-potassium hydrogen phosphate | | |
| 58. | NNNN-tetramethyl paraphenylene Diamine dihydrochlorite | 500ml | 4 |
| 59. | Potassium hydroxide | | |
| 60. | Sodium hydroxide | | |
| 61. | BHI broth | | |
| 62. | Sodium deoxycholate | | |

| 63. | MacConkey broth double strength | 500 gm | |
|------|--|---|--------------------------|
| 64. | MacConkey broth single strength | 500 gm | |
| 65. | Sodium chloride crystals | 160 | |
| | Name of the item | Generic Name with Technical specification | Remark/ Justification |
| 66. | Phenolphthaline phosphate agar | 500 gm | |
| 67. | Hugh Leifson's media | 500 gm | |
| 68. | Potassium nitrate | 500 gm | |
| 69. | Dermatophyte test media | 500 gm | |
| 70. | Potato dextrose agar | 500 gm | |
| 71. | Hichrome Candida differential agar base selective supplement | 500 gm | |
| 72. | Glacial acetic acid | 500 ml | |
| 73. | MOPS | 500 ml | |
| 74. | RPMI 1640 | 500 ml | |
| 75. | Soyabean casein digest agar | 500 gm | |
| 76. | Tryptic soy broth | 500 gm | |
| 77. | Parafilm D M 125 | | D |
| 78. | Yeast nitrogen base | 500 gm | Reagents for Media |
| 79. | Vitamin growth supplement | - | Preparation |
| 80. | Trehalóse dihydrate | 500 gm | |
| 81. | Maltose monohydrate | 500gm | 15 |
| 82. | DMSO | 500 gm | |
| 83. | Bile esculin agar | 500 gm | |
| 84. | PYR agar | 500 gm | |
| 85. | Decarboxylase broth base | 500 gm | |
| 86. | Loeflers medium base | 500gm | |
| 87. | Cary Blair medium base | 500 gm | |
| 88. | Ferric chloride anhydrous | 500 gm | |
| 89. | Yeast Malt agar | 500gm | |
| 90. | Yeast Malt broth | 500 gm | |
| 91. | Acetate agar | 500 gm | |
| | Name of the item | Generic Name with Technical specification | Remark/ Justification |
| 92. | Yeast carbon base | 500gm | Reagents for Media |
| 93. | Stuarts urea broth | 500 gm | Preparation |
| 94. | Czapek Dox agar | 500 gm | |
| 95. | BHI agar | 500gm | |
| 96. | Tellurite blood agar | 500 gm | |
| 97. | Agar powder, Bacteriological grade | 500gm | |
| 98. | Meat extract B, powder | 500 gm | |
| 99. | Dulcitol powder | 500 gm | |
| 100. | | 500gm | |
| 101. | | 500 gm | |
| 102. | | 500 gm | |
| 103. | | 500gm | |
| 104. | | 500 gm | |
| 104. | | 500 gm | |
| 106. | | 500gm | |
| 100. | . Dermatophyte supplement | 500 gm | - |

| 100 1 | N 4 40-1- | 1 vl | |
|---------|--|------------------|--------------------|
| | A DIEGO DA CIDA | 1 vl | |
| | Tuitose dibit | 1vl | |
| | derese distr | lvl | |
| | Stotobe disk | 1 vl | |
| | Juliantosa alom | 1 vl | |
| | Tonatosa aibit | lvl | |
| | 74141101 41011 | lvl | |
| | Addition of the control of the contr | 1 vl | |
| | 1)1000 01011 | 1 vl | |
| | HOBITOT GIBST | 1vl | |
| | | 1vl | |
| | CONODIOSE CION | | - |
| | | 500 gm 500 ml | |
| | Millio decele dello, i i i | | |
| | Acid fuchsin | 500 ml | - |
| | Ammonium chloride | 500 gm | |
| | Horse serum | 100 ml | - |
| | Bromothymol blue indicator | | |
| | Andrade's indicator | | - |
| | 10% lactic acid solution | | |
| | Potassium nitrate solution | | 10 |
| | Magnesium sulphate anhydrous | 500 gm | |
| | Tween 80 | 100 ml | |
| | Tween 60 | 100 ml | |
| | Tween 40 | 100 ml | |
| 1 | Tween 20 | 100 ml | |
| | Potassium dihydrogen phosphate | 500 gm | |
| | Thiamine hydrochloride | 500 gm | |
| | Methyl violet/Crystal violet/ | 500 ml | |
| | Gentian violet | | |
| 137. | Gram's iodine | 500 ml | 4 |
| 138. | Safranine | 500 ml | |
| 139. | Carbol fuchsin | 500 ml | |
| 140. | 20% Sulphuric acid | 500 ml | |
| 141. | Methylene blue | 500 ml | Staining Reagents |
| 142. | Albert stain I | 500 ml | |
| 143. | Albert stain II | 500 ml | |
| 144. | LPCB | 250 ml | |
| 145. | India ink | 23 ml | |
| 146. | Schiff reagent | 500 ml | |
| 147. | GMS | 500 ml | |
| 148. | Hydrochloric acid | 500 ml | |
| 149. | Spore strips | 1 pkt | Other Reagents and |
| 150. | Cotton swab | 20x1 pkt | Consumables |
| 151. | Hydrogen peroxide solution 30% | | |
| 152. | Sterile disk | 1vl | |
| 153. | Homogeniser with serrated pastel 20 | | |
| 1001 | ml | | |
| 154. | Test tube stand | | |
| 155. | Sterile disposable Petridish 90mm | 600x1 pkt | |

| | Levofloxacin 5 | 5vl | Antibiotic Discs |
|------|---|---|-----------------------|
| | Name of the item | Generic Name with Technical specification | Remark/ Justification |
| 197. | Imipenem 10 | 5vl | D 17 |
| 196. | High level Gentamicin 120 | 5vl | |
| 195. | Gentamicin 10 | 5vl | |
| 194. | Erythromycin 15 | 5v1 | |
| 193. | Ertapenem 10 | 5v | |
| 192. | Doxycycline 30 | 5vl | |
| 191. | Colistin 10 | 5vl | |
| 190. | Clindamycin 2 | 5vl | |
| 189. | Ciprofloxacin 5 | 5vl | |
| 188. | Chloramphenicol 30 | 5v1 | |
| 187. | Cefuroxime 30 | 5v | |
| 186. | Ceftriaxone -30 | 5v1 | |
| 185. | Ceftazidime Clavulanic acid 30/10 | 5vi | |
| 184. | Ceftazidime 30 | 5vl | 1 Millordic Discs |
| 183. | Cefpodoxime 10 | 5vl | Antibiotic Discs |
| 182. | Cefoxitin 30 | 5vl | |
| 181. | Cefotaxime Clavulanic acid 30/10 | 5vl | |
| 180. | Cefotaxime 30 | 5v | |
| 179. | Cefoperazone Sulbactam 75/10 | 5vl | |
| 178. | Cefoperazone 75 | 5vl | |
| 177. | Cefepime 30 | 5vl | |
| 176. | Bacitracin | Ivl | |
| 175. | Aztreonam 30 | 5vl | 1 |
| 174. | Azithromycin 15 | 5vl | |
| 173. | Ampeillin 10 | 5v | 1 |
| 172. | Amóxicillin Clavulanic acid 20/10 | 5vl | |
| 171. | flow assay) Amikačin 30 | 5vl | |
| 170. | Cryptococcal antigen test kit (lateral | 20x1 pkt | Rapid Kit |
| 169. | Aspergillus IgG ELISA kit | | |
| 168. | Patelia Aspergillus ELISA for Galactomannan Antigen | | ELISA Kits |
| 167. | pH paper | | |
| 166. | Pasteur pipette | ÷c l | |
| 165. | Glass measuring cylinders | | |
| 164. | Durham's tube | 1 pkt | |
| 163. | Glass conical flask | 250ml, 500ml,1000ml | |
| 162. | Glass beakers | 250ml, 500ml,1000ml | |
| | | 100 ml | |
| | | 20 ml | |
| 61. | Glass tubes | 5 ml 10 ml | |
| | Metal loop holder | 61 | |
| - | Assorted Nichrome loops | | |
| | Cedarwood oil | 100 ml | |
| | Sterile swab for Alb i | 500x1 pkt | |
| 57. | Sterile swab for AST | 500v1 slat | |

| 199. | Linezolid 30 | 5v | |
|--|---|--|---|
| 200. | | 5vl | |
| | | | |
| 201. | Nalidixic Acid 30 | 5vl | |
| 202. | Nitrofurantoin 300 | 5vl | |
| 203. | Novobiocin 5 | 5v1 | |
| 204. | Ofloxacin 5 | 5vl | |
| 205. | Optochin | 1vl | |
| 206. | Penicillin G 10 U | 5vl | |
| 207. | Piperacillin Tazobactum 100/10 | 5vl | |
| 208. | Polymyxin B 300 U | 5vl | |
| 209. | Polymyxin B 50 U | 5vl | |
| 210. | Teicoplanin 30 | 5vl | |
| 211. | Tetracycline 30 | 5vl | |
| | - | | |
| 212. | Tigecycline 15 | 5v | |
| 213. | Trimethroprim/Sulfmethoxazole | 5vl | |
| | 1.25/23.75 | | |
| 214. | Vancomycin 30 | 5vl | |
| 215. | Fluconazole 25µ | 5vl | |
| 216. | Voriconazole 1 µ | 5vl | |
| 217. | Ketoconazole 20 μ | 5vl | |
| 218. | Itraconazole 10 μ | 5v | |
| 219. | Amphotericin B 20 μ | 5vl | Antifungal Discs |
| 220. | Flucytosine | 5vl | |
| | | | |
| 221. | Caspofungin | 5vl | |
| 222. | Micafungin | 5vl | |
| 223. | Gaspak | | For Anaerobic |
| 225. | | | |
| 223. | | | Culture |
| 224. | Serology | 100 T/Box | |
| 224. | Serology HBsAg Reagent | 100 T/Box | |
| | Serology HBsAg Reagent Anti HCV Reagent | 100 T/Box 100 T/Box | |
| 224. 225. | Serology HBsAg Reagent | 100 T/Box | Culture |
| 224. 225. 226. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control | 100 T/Box 100 T/Box 3 sets/pack | Culture Reagents and |
| 224. 225. 226. 227. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack | Reagents and Consumables For |
| 224. 225. 226. 227. 228. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid | Reagents and Consumables For VITROS 3600 |
| 224. 225. 226. 227. 228. 229. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid | Reagents and Consumables For |
| 224. 225. 226. 227. 228. 229. 230. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box | Reagents and Consumables For |
| 224. 225. 226. 227. 228. 229. 230. 231. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests | Reagents and Consumables For |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1 set liquid 1000 tips/box 2X200 tests 2x5 litres | Reagents and Consumables For VITROS 3600 |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box | Reagents and Consumables For VITROS 3600 |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack | Reagents and Consumables For |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf/Pv Kit | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box | Reagents and Consumables For |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf/Pv Kit Typhi - Dot Kit | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box | Reagents and Consumables For |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. | Serology HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf/Pv Kit Typhi - Dot Kit RPR / VDRL Kit | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 50T/ Box 20T/ Box 20T/ Box | Reagents and Consumables For |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf/Pv Kit Typhi - Dot Kit RPR / VDRL Kit RA Factor Kit | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 50T/ Box 20T/ Box | Reagents and Consumables For VITROS 3600 Machine |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf / Pv Kit Typhi - Dot Kit RPR / VDRL Kit RA Factor Kit ASO Kit PPD (Mantoux Test) Widal Kit | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 50T/ Box 20T/ Box 20T/ Box | Reagents and Consumables For VITROS 3600 Machine Rapid Kit Test |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf/Pv Kit Typhi - Dot Kit RPR / VDRL Kit RA Factor Kit ASO Kit PPD (Mantoux Test) | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 50T/ Box 20T/ Box 5ml/ Vial | Reagents and Consumables For VITROS 3600 Machine |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf / Pv Kit Typhi - Dot Kit RPR / VDRL Kit RA Factor Kit ASO Kit PPD (Mantoux Test) Widal Kit | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 25T/ Box 50T/ Box 20T/ Box 5ml/ Vial 20T/ Box | Reagents and Consumables For VITROS 3600 Machine Rapid Kit Test Reagents and |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf/Pv Kit Typhi - Dot Kit RPR / VDRL Kit RA Factor Kit ASO Kit PPD (Mantoux Test) Widal Kit HbsAg Kit Anti HCV Kit Anti - Human Globulin (Eryclone) | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 50T/ Box 20T/ Box 20T/ Box 5ml/ Vial 20T/ Box 50T/ Box 50T/ Box 50T/ Box | Reagents and Consumables For VITROS 3600 Machine Rapid Kit Test Reagents and |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf / Pv Kit Typhi - Dot Kit RPR / VDRL Kit RA Factor Kit ASO Kit PPD (Mantoux Test) Widal Kit HbsAg Kit Anti HCV Kit Anti - Human Globulin (Eryclone) Bovine Serum Albumin | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 25T/ Box 20T/ Box 20T/ Box 5ml/ Vial 20T/ Box 5ml/ Vial 10 ml/Vial | Reagents and Consumables For VITROS 3600 Machine Rapid Kit Test Reagents and |
| 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. | HBsAg Reagent Anti HCV Reagent HBsAg Control Anti HCV Control HBsAg Calibrator Anti HCV Calibrator Versatips Signal Reagent Universal Wash Reagent Micro Sample Wells Maintenance pack Pf/Pv Kit Typhi - Dot Kit RPR / VDRL Kit RA Factor Kit ASO Kit PPD (Mantoux Test) Widal Kit HbsAg Kit Anti HCV Kit Anti - Human Globulin (Eryclone) | 100 T/Box 100 T/Box 3 sets/pack 3 sets/pack 1 level/1set liquid 1 level/1set liquid 1000 tips/box 2X200 tests 2x5 litres 4000 cup/box 2 pack 25T/ Box 50T/ Box 20T/ Box 20T/ Box 5ml/ Vial 20T/ Box 50T/ Box 50T/ Box 50T/ Box | Reagents and Consumables For VITROS 3600 Machine Rapid Kit Test Reagents and |

| | VIDAS RUB IgM | | ests/Box | | |
|----------------------|--|----------|--|---------------------|--|
| | VIDAS CMV IgM | | ests/Box | | |
| 251. | VIDAS TOXO IgM | | ests/Box | | |
| 252. | VIDAS CMV IgG | | | Mini VIDAS | |
| 253. | VIDAS RUB IgG II | | | | |
| 254. | VIDAS TOXO IgG II | | ests/Box | Reagents and | |
| 255. | VIDAS HBE/ANTI-HBE | | ests/Box | Consumables | |
| 256. | VIDAS ANTI-HBC TOTAL II | | ests/Box | | |
| 257. | VIDAS ANTI-HBST QUICK | _ | ests/Box | | |
| 258. | VIDAS Procalcitonin | | ests/Box | | |
| 259. | H. PYLORI KIT | | ests/Box | | |
| 260. | VIDAS TOTAL IGE | 60 T€ | ests/Box | | |
| | D | To any | | | |
| 261. | Lugol's Iodine | 500 n | n1 | Staining Reagents | |
| 262. | Carbol Fuchsin (Z.N. Strong) | 500 n | | Summing recognition | |
| _ | | 500 n | | | |
| 263. | Loeffler's Methylene Blue | | | | |
| 264. | Ethyl acetate | 500 n | | | |
| 265. | Absolute Methanol | 500 r | nı | | |
| 266. | 50% Ethanol | | | | |
| 267. | Sodium chloride IP | 500 g | | | |
| 268. | Sulphuric acid Pure, Hi-AR | 500 r | nl | | |
| 269. | Lactophenol | 500 г | nl | | |
| 270. | Cedarwood oil | 5 ml | bottle | | |
| 271. | Staining rack | 1 | | One Time | |
| 272. | Slide storage box | 1 | | Requirement for | |
| 273. | Slide drying rack | 1 | | One Year | |
| 274. | Glass beaker | 20 pc | c / box | Other Consumable | |
| 275. | Conical centrifuge tube (15ml) | 1 | | | |
| 276. | pH paper | 1 pag | `k | | |
| | | 200n | | | |
| 277. | Plastic dispensing bottle | 20011 | III. | | |
| Virolo | Se | | 100 | PCR & ELISA kits | |
| 278. | Qiagen One Step RT-PCR Kit | | 100 rxn, | TOR & ELISA KI | |
| 279. | QIAmp Viral RNA Mini Kit, | | 250 rxn, | | |
| 280. | Hepatitis AVirus(HAV IgM Mu C | apture), | Immunoshop Wantai | | |
| 281. | Hepatitis E Virus IgM ELISA 3.0, Diagnostic | MP | MP Diagnostic | | |
| 282. | West Nile Virus IgM ELISA, | | In Bios | | |
| 283. | Mumps Virus IgM ELISA | | Novatec | | |
| 284. | QIAmp Viral DNA Mini Kit | | 250 rxn, Qiagen | | |
| 285. | QIAmp Mini Elute Gel Extraction | Kit. | 50 rxn, Qiagen | | |
| 205. | Qirimp irimi zidic dei zimusia | | | | |
| 286. | FTD-75-64 HSV Virus 1&2, | | Make: Fast Track Diagnostic | | |
| 287. | FTD Viral Meningitis, FTD-13-32 | | Make: Fast Track Diagnostic Code: FTD-13- 32 | Consumables | |
| 288. | FTD Viral Gastroenteritis, | | Make: Fast Track Diagnostic Code: FTD-3-32 | , | |
| | PCR Master Mix 2X, | | Make: Thermo | | |
| 289 | | | | | |
| 289. | | | Make: Thermo | | |
| 289. 290. 291. | TAE Buffer-50X Nuclease Free Water-1ml tube, | | Make: Thermo Make: Thermo | | |

| 200 | DNI Inhibitor 2500II | Make: Thermo | |
|------|--|---|-------------|
| | RNase Inhibitor-2500U, | make: Invitrogen | |
| 294. | DNA Taq Polymerase Enzyme-High Fidelity 500-2500U, | mare. m. mogen | |
| 295. | Agarose Gel-100gm, | Make: Invitrogen | |
| 296. | dNTPs mix with MgCl ₂ | Make: Thermo | |
| | Primers and Probes, | Make:Invitrogen | |
| 297. | AgPath-ID One-Step qRT-PCR Reagents, | Make: Thermofischer | |
| 298. | Agram-ID Oile-Step dKT-T CK Reagents, | Make: Invitrogen | |
| 299. | MicroAmp EnduralPlate Optical 384-well Blue Reaction Plates with Barcode, | | |
| 300. | FTD Flu, | 32 rxn, Make: fast Track Diagnostic | |
| 301. | MicroAmp Optical 8-Tube strip with attached optical caps, 0.2ml for ABI 7500 | Make:Invitrogen | |
| 302. | Micro Centrifuge Tube (1.5 & 2 ml) | Make:Genaxy | |
| 303. | 0.2 ml Flat cap PCR tubes | Make: Thermo | |
| | Centrifuge Tube 15ml | Make:Genaxy | |
| 304. | | Make: Abdos | |
| 305. | N95 mask, | Coloured(White/Blue) full | |
| 306. | Disposable Lab coats | sleeve | |
| 307. | Sample storage cryo box- | 0.2ml,1.5ml,2ml,5ml and 15ml-96 wells and 50 wells | |
| 308. | Nitrile gloves, powder free, | Size: small, Medium and Large | |
| 309. | Sample carrier Tray, | 3 | - |
| 310. | 4 degree Cooler | | |
| 311. | 0.1-10μL micropipette tips | Sterile tips in box | Consumables |
| | 0.5-10µL Natural tips, white, | Sterile tips in box | |
| 312. | | Sterile tips in box | 1 |
| 313. | 1-200µL Natural tips, white, | Sterile tips in box | |
| 314. | 100-1000μL Natural tips, white, | Cobas Taqman HBV Test- | |
| 315. | Cobas Taqman HBV Test-48 | 48 with extraction kit (Roche) | |
| 316. | Cobas Taqman HCV Test-48 (Roche) | Cobas Taqman HCV Test- 48 with extraction kit (Roche) | |
| | | | |
| 317. | K-Tube | (96x12) (Roche) | |
| 318. | (Roche) | | |
| 319. | THE PROPERTY AND A PERSON OF THE PERSON OF T | (Roche) | |
| 320. | a amount with (T) | (Roche) | |
| 320. | | (Roche) | |
| 200 | | NovaLisa | |
| 322. | | (Euroimmune) | |
| 323. | | (Euroimmune) | - |
| 324 | | 500ml bottle(1x6)pk | |
| 325 | . Absolute Alcohol Solution | 1 0 1 | 13 |
| 326 | . HiDi Formamide (25ml) | Invitrogen (100 project) | - |
| 327 | BDT3.1 cycle Sequencing kit | (100 reactions) make: Invitrogen | |
| 328 | . Cathode Buffer | (pack of 4) make: Invitrogen | |
| 329 | . Anode Buffer | (pack of 4) make: Invitrogen | THE RES |
| 330 | POP7 | (384 samples) make: Invitrogen | |
| 331 | Conditioning reagents | (1unit) make: Invitrogen | _ |
| 332 | 77.1 | (100rxn) make: Invitrogen | |

| 333. | 6x DNA Loading Dye, | 5x 1ml Make: Thermo | |
|------|--|--|--------------|
| 334. | Gene Ruler | 50bp DNA Ladder 50µg | 1 |
| | | Thermo | |
| 335. | Gene Ruler | 100bp DNA Ladder 50μg Make: Thermo | Consumables |
| 336. | Ethidium Bromide, | Make: Promega | - |
| 337. | RevertAid First Strand cDNA Synthesis Kit, | 100rxn Make: Thermo | |
| 338. | 7500 Spectral Red Dye Cal Kit, | Dye calibration kit, Make:Invitrogen | |
| 339. | FG-7500 Spectral Dye Cal Kit, | Make: Invitrogen | |
| 340. | LabSafe Dye | Make; Bioscience | |
| 341. | FG-Optical adhesive covers | make:Invitrogen | |
| 342. | Defined Fetal Bovine Serum, US origin, | 100ml Make: Invitrogen | |
| 343. | Easy Flask T25CM ² Flit | Make: Nalgene | |
| 344. | Nalgene Syringe Filter, | 0.2 micron PES, 25 mm diameter | |
| 345. | Nalgene Syringe Filter, | 0.45 micron PES, 25mm diameter | |
| 346. | Beakers, | Polypropylene, autoclaeavable, Graduated- 1000ml | |
| 347. | Micro Tube and Tube Racks, | 0.2ml, 1.5ml, 2ml, 5ml and 15ml, 96 wells | |
| 348. | Antibiotic Antimycotic Solution | (Pen/Strep/Fungizone), 100ml | |
| 349. | Trypsin | , 0.25%(1X), 100ml, make:Cyclone | |
| 350. | MEM media with 2.0 mM L-Glutamine, | 1000ml, Make: Hyclone | |
| 351. | Phosphate Buffered saline (PBS) | 1X, pH-7.4, Make: Life technologies | 5 0 |
| 352. | Tris EDTA, | 2ml, pH-7.0 make: Thermo | |
| 353. | Viral Transport Media (VTM) | Make: HiMedia | |
| 354. | Autoclavable Bags, | 8"x12" and 12"x24" make: Himedia | |
| 355. | Cryo Gloves | | |
| 356. | SuperScript III Platinum One-Step qRT PCR System, | 100 rxn, ,Make: Invitrogen | |
| 357. | HPV FTD kit (Multiplex Real Time PCR) | Make: Fastrack Diagnostics | |
| 358. | Parvo B19 | Novatec | |
| 359. | Epstein Barr Virus | Novalisa | |
| 360. | FTD Respiratory pathogens 33 Cat.No-FTD-2P.3-64 | Fast Track Diagnostics | |
| 361. | FTD C. difficile Cat. No: FTD-24-32 | Fast Track Diagnostics | PCR Kits |
| 362. | FTD Neonatal Sepsis Cat. No: FTD-32-64 | Fast Track Diagnostics | |
| 363. | FTD- Bacterial meningitis Cat. No: FTD-28-32 | Fast Track Diagnostics | |
| 364. | FTD- Neonatal meningitis | Fast Track Diagnostics | |
| 365. | Quaternary Ammonium Compound Bactericidal (including MDR Pathogens), Mycobactericidal, Virucidal, Fungicidal. Used for all hospital needs(Both | | Disinfectant |

ŝ

| | eritical and non critical areas) Biodegradable Corrosion free | |
|------|--|--|
| | EN approved for virus, fungus, bacterial and yeast. | |
| 366. | Alcohol Disinfectant Spray Bactericidal (including MRSA) fungi and Viruses | |
| | Ideal for crital areas like OTs etc. | |

Qu

Superintendent
Gauhati Medical College Hospital
-cumMember Secretary, HMS
Gauhati Medical College Hospital
Guwahati-32